

Arthrofibrosis/Lysis of Adhesions/Extensor Debridement

ROM Restrictions: _	ext. to	flex.	
Brace Settings:	_ext. to	flex.	
Weight Bearing State	us: NWB, T	TTWB, PWB	, WBAT

PHASE I EXERCISES (Weeks 1 through 12)

- Passive only full ROM
- Extension/Flexion (wall slides, sitting, prone)
- Quad sets with straight leg raises
- Hamstring sets
- Patellar mobilizations/quad and patellar tendon mobilization (emphasize)

(Weeks 7 - 10)

• 1/3 knee bends

(Weeks 3 - 10)

• Toe and heel raises

Muscle Stretches (Weeks 1 ongoing)

- Sit and reach for hamstrings +/- towel
- Runners stretch for calf and Achilles

(Weeks 3 ongoing)

• Stork stand for quadriceps

CARDIOVASCULAR EXERCISE

- Bike and row single well leg (begin at 3 weeks)
- Both leg bike start with no resistance (begin at 3 weeks add resistance at 6 weeks)
- Aquajogging (begin at 3 weeks)
- Swimming with fins (begin at 6 weeks)
- Elliptical trainer low incline (begin at 8 weeks)
- Rowing (begin at 12 weeks)
- Stair stepper (begin at 16 weeks)
- Treadmill incline 7-12% very slow pace (begin at 6 weeks)



PHASE II SPORT CORD EXERCISES (begin after 7 weeks)

- Double knee bends
- Carpet drags
- Gas pedal
- Forward/backward jogging (begin at 3 months)
- Single knee bends (begin at 10 weeks)
- Side to side lateral agility (begin at 4months)

PHASE III-WEIGHTS (begin after 10 weeks)

- Leg press to 90 degrees
- Leg curls-extend to neutral only
- Abduction/adduction
- Balance squats
- Mini squats with bar

PHASE IV- HIGH LEVEL ACTIVITIES (begin after 4 months)

- Outdoor biking
- Rollerblading
- Running
- Skiing, basketball, football, soccer after 6 months
- Golf
- Agility exercises
- Mountain Bike

^{*}no open chain extensions